

Package: DHSr (via r-universe)

January 11, 2025

Type Package

Title Create Large Scale Repeated Regression Summary Statistics Dataset and Visualization Seamlessly

Version 0.1.0

Maintainer Arnab Samanta <arnob.shamanta62@gmail.com>

Description Mapping, spatial analysis, and statistical modeling of microdata from sources such as the Demographic and Health Surveys <<https://www.dhsprogram.com/>> and Integrated Public Use Microdata Series <<https://www.ipums.org/>>. It can also be extended to other datasets. The package supports spatial correlation index construction and visualization, along with empirical Bayes approximation of regression coefficients in a multistage setup. The main functionality is repeated regression — for example, if we have to run regression for n groups, the group ID should be vertically composed into the variable for the parameter `location_var`. It can perform various kinds of regression, such as Generalized Regression Models, logit, probit, and more. Additionally, it can incorporate interaction effects. The key benefit of the package is its ability to store the regression results performed repeatedly on a dataset by the group ID, along with respective p-values and map those estimates.

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.1

Imports dplyr, ggplot2, rlang, sf, spdep, viridis, nlme, MuMIn, tidyr, stats

Suggests knitr, spData, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

NeedsCompilation no

Author Arnab Samanta [aut, cre] (<arnob.shamanta62@gmail.com>)

Date/Publication 2025-01-10 15:00:06 UTC

Config/pak/sysreqs libgdal-dev gdal-bin libgeos-dev libicu-dev
libssl-dev libproj-dev libsqlite3-dev libudunits2-dev

Repository https://arnob62.r-universe.dev

RemoteUrl https://github.com/cran/DHSr

RemoteRef HEAD

RemoteSha 561cc12139af0b2fbc9c2fdaf0f815bbb398a29e

Contents

cluster_map	2
listw	5
Repglmre2	6
Replm2	8
Replmre2	9
single_glmre2	10
single_lm2	11
single_lmre2	12
Spdeplisa	13
stein_beta	15

Index [17](#)

cluster_map	<i>Create Cluster Map Based on Local Moran's I</i>
-------------	--

Description

This function creates a map of clusters based on Local Moran's I values. It identifies clusters using Queen contiguity and visualizes them on a map.

Usage

```
cluster_map(
  dataset,
  lisa_value,
  lisa_label,
  label,
  lisa_cutoff,
  location_var,
  location_name,
  level2 = NULL,
  id_start = 0,
  comparison = ">",
  min_area = 0,
  min_ = 5,
```

```

    title = "Clusters Based on Queen Contiguity",
    subtitle = "",
    footnote = "",
    legend_position = "bottom",
    color_scheme = "C"
  )

```

Arguments

dataset	A spatial dataset of class 'sf'.
lisa_value	The name of the variable in the dataset containing Local Moran's I values.
lisa_label	The name of the variable in the dataset containing the LISA label.
label	The specific label to filter clusters.
lisa_cutoff	A numeric value specifying the cutoff for LISA values.
location_var	The variable name indicating the primary location in the dataset.
location_name	The name of the variable for the location names.
level2	An optional second level of location hierarchy. Default is 'NULL'.
id_start	The starting value for cluster IDs. Default is '0'.
comparison	The comparison operator for filtering ('>', '<', '>=', etc.). Default is '>'.
min_area	Minimum area required for a cluster to be considered valid. Default is '0'.
min_	Minimum number of districts required for a cluster to be valid. Default is '5'.
title	The title of the map. Default is "Clusters Based on Queen Contiguity".
subtitle	A subtitle for the map. Default is "".
footnote	A footnote for the map. Default is "".
legend_position	The position of the legend on the map. Default is "bottom".
color_scheme	The color scheme for the map. Default is "C".

Value

A list with the following components:

dataset_with_clusters	An 'sf' object containing the dataset with assigned cluster IDs.
summary_clusters	A data frame summarizing cluster information, including regions, area, and the number of locations.
plot	A 'ggplot' object for visualizing the clusters.

Examples

```

if (requireNamespace("spData", quietly = TRUE)) {
  library(sf)
  library(dplyr)
  library(spdep)
  library(spData)
  library(ggplot2)

  # Load US states data from spData
  us_states <- spData::us_states

  # Simplify for demonstration: Select a subset of columns
  us_states_data <- us_states %>%
    select(GEOID, NAME) %>%
    mutate(mean_wealth = rnorm(nrow(us_states), 50, 10)) # Add mock data

  # Define a shapefile path
  shapefile_path <- tempfile(fileext = ".shp")
  sf::st_write(us_states, shapefile_path, quiet = TRUE)

  # Corrected listw function call using your package
  us_states_listw <- DHSr::listw(
    shapefile_path = shapefile_path,
    data = us_states_data %>% sf::st_drop_geometry(), # Drop geometry for compatibility
    loc_shape = "GEOID",
    loc_data = "GEOID",
    weight_function = function(d) exp(-d / 0.2)
  )

  # Apply Spdeplisa function
  lisa_result <- DHSr::Spdeplisa(
    data = us_states_data,
    variable_name = "mean_wealth",
    listw = us_states_listw
  )

  # Add LISA labels
  lisa_result <- lisa_result %>%
    mutate(lisa_label = case_when(
      lisa_I > 0 ~ "High-High",
      lisa_I < 0 ~ "Low-Low",
      TRUE ~ "Others"
    ))

  # Apply cluster_map function
  cluster_map_result <- DHSr::cluster_map(
    dataset = lisa_result,
    lisa_value = "lisa_I",
    lisa_label = "lisa_label",
    label = "High-High",
    lisa_cutoff = 0.5,
    location_var = "GEOID",

```

```

    location_name = "NAME",
    id_start = 1,
    comparison = ">",
    min_area = 0,
    min_ = 3, # Reduced for smaller demonstration
    title = "Clusters Based on Queen Contiguity",
    subtitle = "High-High Clusters",
    footnote = "Generated using DHSr package",
    legend_position = "bottom",
    color_scheme = "C"
  )

# View the resulting dataset with clusters
head(cluster_map_result$dataset_with_clusters)

# View the cluster summary
print(cluster_map_result$summary_clusters)

# Plot the clusters
print(cluster_map_result$plot)
}

```

listw

Create Spatial Weights List

Description

This function creates a spatial weights list using a shapefile and a dataset.

Usage

```

listw(
  shapefile_path,
  data,
  loc_shape,
  loc_data,
  weight_function = function(d) exp(-d/0.2)
)

```

Arguments

shapefile_path A string specifying the file path to the shapefile.

data A dataframe containing the variables to be analyzed.

loc_shape A string specifying the column name in the shapefile used for merging.

loc_data A string specifying the column name in the dataset that corresponds to the location variable.

weight_function A function to calculate weights from distances. Defaults to 'function(d) exp(-d / 0.2)'.

Value

A spatial weights list object of class 'listw'.

Examples

```
if (requireNamespace("spData", quietly = TRUE)) {
  library(dplyr)
  library(sf)

  # Load US states data
  us_states <- spData::us_states

  # Simplify for demonstration: Select a subset of columns
  us_states_data <- us_states %>%
    select(GEOID, NAME) %>%
    mutate(mean_wealth = rnorm(nrow(us_states), 50, 10)) # Add mock data

  # Define a temporary shapefile path
  shapefile_path <- tempfile(fileext = ".shp")
  sf::st_write(us_states, shapefile_path, quiet = TRUE)

  # Use the listw function from the package
  us_states_listw <- DHSr::listw(
    shapefile_path = shapefile_path,
    data = us_states_data %>% sf::st_drop_geometry(), # Drop geometry for compatibility
    loc_shape = "GEOID",
    loc_data = "GEOID",
    weight_function = function(d) exp(-d / 0.2)
  )

  # Verify the spatial weights list
  print(us_states_listw)
}
```

 Repglmre2

Loop through all locations and run GLMM for each

Description

This function runs a mixed-effects generalized linear model (GLMM) for each location within a dataset.

Usage

```
Repglmre2(data, formula, location_var, random_effect_var, family)
```

Arguments

data	The dataset to be analyzed.
formula	The formula for the regression model.
location_var	The variable indicating different locations (e.g., 'REGCODE').
random_effect_var	The variable to be used as a random effect (e.g., 'hhid').
family	The family to be used for GLM (e.g., 'binomial' for logistic regression, 'poisson' for Poisson regression).

Value

A dataframe containing the results

Examples

```
set.seed(123)

# Create dummy data
library(dplyr)
dummy_data <- data.frame(
  years_education = rnorm(100, 12, 3), # Represents years of education
  gender_female = rbinom(100, 1, 0.5), # 1 = Female, 0 = Male
  household_wealth = sample(1:5, 100, replace = TRUE), # Wealth index from 1 to 5
  district_code = sample(1:10, 100, replace = TRUE) # Represents district codes
) %>% arrange(district_code)

# Create HHid (Household ID), grouping every 3-4 records, and convert to character
dummy_data$HHid <- as.character(rep(1:20, each = 5, length.out = nrow(dummy_data)))

# Create a binary outcome variable for years of education
dummy_data$education_binary <- ifelse(dummy_data$years_education > 11, 1, 0)

# Define a logistic regression formula
formula <- education_binary ~ gender_female + household_wealth:gender_female

location_var <- "district_code"
random_effect_var <- "HHid"

# Run the logistic mixed-effects model across all locations (districts)
results <- DHSr::Repglmre2(data = dummy_data, formula = formula,
  location_var = location_var, random_effect_var = random_effect_var,
  family = binomial())

# Print the results
print(head(results))
```

Description

This function runs a regression model for all unique locations within a dataset and combines the results.

Usage

```
Replm2(  
  data,  
  formula,  
  location_var,  
  response_distribution = "normal",  
  family = NULL  
)
```

Arguments

<code>data</code>	The dataset to be analyzed.
<code>formula</code>	The formula for the regression model.
<code>location_var</code>	The variable indicating different locations (e.g., 'REGCODE').
<code>response_distribution</code>	The distribution of the response variable ("normal" for normal distribution, "other" for other distributions).
<code>family</code>	The family to be used for GLM if response_distribution is "other" (e.g., 'binomial' for logistic regression).

Value

A dataframe containing the combined results for all locations.

Examples

```
set.seed(123)  
library(dplyr)  
dummy_data <- data.frame(  
  years_education = rnorm(100, 12, 3),    # Represents years of education  
  gender_female = rbinom(100, 1, 0.5),    # 1 = Female, 0 = Male  
  household_wealth = sample(1:5, 100, replace = TRUE), # Wealth index from 1 to 5  
  district_code = sample(1:10, 100, replace = TRUE) # Represents district codes  
) %>% arrange(district_code)  
  
# Define a simple regression formula  
formula <- years_education ~ gender_female + household_wealth + household_wealth:gender_female
```



```
# Run the regression across all locations (districts)
results1 <- Replm2(dummy_data, formula, "district_code", "normal")
print(results1)
```

Replmre2

Mixed-Effects Regression Analysis for All Locations

Description

This function runs a mixed-effects regression model for all locations within a dataset.

Usage

```
Replmre2(data, formula, location_var, random_effect_var)
```

Arguments

<code>data</code>	The dataset to be analyzed.
<code>formula</code>	The formula for the regression model.
<code>location_var</code>	The variable indicating different locations (e.g., 'REGCODE').
<code>random_effect_var</code>	The variable to be used as a random effect (e.g., 'hhid').

Value

A dataframe containing the results

Examples

```
set.seed(123)
library(dplyr)
# Create dummy data
dummy_data <- data.frame(
  years_education = rnorm(100, 12, 3), # Represents years of education
  gender_female = rbinom(100, 1, 0.5), # 1 = Female, 0 = Male
  household_wealth = sample(1:5, 100, replace = TRUE), # Wealth index from 1 to 5
  district_code = sample(1:10, 100, replace = TRUE) # Represents district codes
) %>% arrange(district_code)

# Create HHid (Household ID), grouping every 3-4 records, and convert to character
dummy_data$HHid <- as.character(rep(1:20, each = 5, length.out = nrow(dummy_data)))

# Define a simple regression formula
formula <- years_education ~ gender_female + household_wealth:gender_female
location_var <- "district_code"
random_effect_var <- "HHid"

# Run mixed-effects regression for all districts
results <- DHSr::Replmre2(dummy_data, formula, location_var, random_effect_var)
print(head(results))
```

single_glmre2

*Mixed-Effects Logistic Regression Analysis for a Specified Location***Description**

This function runs a mixed-effects logistic regression model for a specified location within a dataset.

Usage

```
single_glmre2(
  data,
  formula,
  location_var,
  random_effect_var,
  location_index,
  family = NULL
)
```

Arguments

data	The dataset to be analyzed.
formula	The formula for the regression model.
location_var	The variable indicating different locations (e.g., 'REGCODE').
random_effect_var	The variable to be used as a random effect (e.g., 'hhid').
location_index	The specific location index or number for which the model should be run.
family	The family to be used for GLM (e.g., 'binomial' for logistic regression).

Value

The results for sigle location to test

Examples

```
set.seed(123)
library(dplyr)
# Create dummy data
dummy_data <- data.frame(
  years_education = rnorm(100, 12, 3), # Represents years of education
  gender_female = rbinom(100, 1, 0.5), # 1 = Female, 0 = Male
  household_wealth = sample(1:5, 100, replace = TRUE), # Wealth index from 1 to 5
  district_code = sample(1:10, 100, replace = TRUE) # Represents district codes
) %>% arrange(district_code)

# Create HHid (Household ID), grouping every 3-4 records, and convert to character
dummy_data$HHid <- as.character(rep(1:20, each = 5, length.out = nrow(dummy_data)))
```

```

# Create a binary outcome variable for years of education
dummy_data$education_binary <- ifelse(dummy_data$years_education > 11, 1, 0)

# Define a logistic regression formula
formula <- education_binary ~ gender_female + household_wealth:gender_female

# Set the location and random effect variables
location_var <- "district_code"
random_effect_var <- "HHid"

# Run the mixed-effects logistic regression for a specific location (e.g., district 1)
result_single_glmre <- single_glmre2(dummy_data, formula, location_var, random_effect_var,
  location_index = 1, family = binomial())

# View the result
print(result_single_glmre)

```

single_lm2

Linear Regression Analysis for Specified Location

Description

This function runs a linear regression model for a specified location within a dataset.

Usage

```

single_lm2(
  data,
  formula,
  location_var,
  response_distribution = "normal",
  family = NULL,
  location_index
)

```

Arguments

data	The dataset to be analyzed.
formula	The formula for the regression model.
location_var	The variable indicating different locations (e.g., 'REGCODE').
response_distribution	The distribution of the response variable ("normal" for normal distribution, "other" for other distributions).
family	The family to be used for GLM if response_distribution is "other" (e.g., 'binomial' for logistic regression).
location_index	The specific location index or number for which the model should be run.

Value

A dataframe containing the results for the specified location.

Examples

```
set.seed(123)
if (requireNamespace("dplyr", quietly = TRUE)) {
  library(dplyr)
  # Create dummy data
  dummy_data <- data.frame(
    years_education = rnorm(100, 12, 3),    # Represents years of education
    gender_female = rbinom(100, 1, 0.5),    # 1 = Female, 0 = Male
    household_wealth = sample(1:5, 100, replace = TRUE), # Wealth index from 1 to 5
    district_code = sample(1:10, 100, replace = TRUE)    # Represents district codes
  ) %>% arrange(district_code)

  # Define a simple regression formula
  formula <- years_education ~ gender_female + household_wealth + household_wealth:gender_female

  # Run the regression for a specific location (e.g., district 1)
  result_single_lm <- single_lm2(dummy_data, formula, "district_code",
    response_distribution = "normal", location_index = 1)

  # View the result
  print(result_single_lm)
}
```

single_lmre2

Mixed-Effects Regression Analysis for Specified Location

Description

This function runs a mixed-effects regression model for a specified location within a dataset.

Usage

```
single_lmre2(data, formula, location_var, random_effect_var, location_index)
```

Arguments

data The dataset to be analyzed.

formula The formula for the regression model.

location_var The variable indicating different locations (e.g., 'REGCODE').

random_effect_var The variable to be used as a random effect (e.g., 'hhid').

location_index The specific location index or number for which the model should be run.

Value

the results for the specified location to test

Examples

```
set.seed(123)
library(dplyr)
# Create dummy data
dummy_data <- data.frame(
  years_education = rnorm(100, 12, 3),    # Represents years of education
  gender_female = rbinom(100, 1, 0.5),    # 1 = Female, 0 = Male
  household_wealth = sample(1:5, 100, replace = TRUE), # Wealth index from 1 to 5
  district_code = sample(1:10, 100, replace = TRUE) # Represents district codes
) %>% arrange(district_code)

# Create HHid (Household ID), grouping every 3-4 records, and convert to character
dummy_data$HHid <- as.character(rep(1:20, each = 5, length.out = nrow(dummy_data)))

# Define a simple regression formula
formula <- years_education ~ gender_female + household_wealth:gender_female

# Set the location and random effect variables
location_var <- "district_code"
random_effect_var <- "HHid"

# Run the mixed-effects regression for a specific location (e.g., district 1)
result_single_lmre <- single_lmre2(dummy_data, formula, location_var,
  random_effect_var, location_index = 1)

# View the result
print(result_single_lmre)
```

Spdeplisa

Calculate Local Moran's I and Sign Combination Variables

Description

This function calculates Local Moran's I for a specified variable in a dataset and creates sign combination variables based on the standardized variable and the local Moran's I values.

Usage

```
Spdeplisa(data, variable_name, listw)
```

Arguments

<code>data</code>	A dataframe containing the spatial data.
<code>variable_name</code>	A string representing the name of the variable to be analyzed.
<code>listw</code>	A listw object containing spatial weights for the dataset.

Value

A data frame containing the original data with additional columns:

`lisa_I` Local Moran's I values for the specified variable.
`lisa_p` P-values corresponding to the Local Moran's I values.
`z_i` Standardized values of the input variable.
`sign_combination2`
 Categories based on the sign of `z_i` and `lisa_I` (e.g., "positive-negative").
`sign_combination3`
 Categories based on the sign of `z_i` and `lisa_I` (e.g., "High-High").

Examples

```
# Load necessary libraries
if (requireNamespace("spData", quietly = TRUE)) {
  library(spData)
  library(sf)
  library(dplyr)

  # Use US states data as a substitute for a shapefile
  us_states <- spData::us_states

  # Simplify for demonstration: Select a subset of columns
  us_states_data <- us_states %>%
    select(GEOID, NAME) %>%
    mutate(mean_wealth = rnorm(nrow(us_states), 50, 10)) # Add mock data

  # Define a temporary shapefile path
  shapefile_path <- tempfile(fileext = ".shp")
  sf::st_write(us_states, shapefile_path, quiet = TRUE)

  # Create spatial weights using the listw function from the package
  us_states_listw <- DHSr::listw(
    shapefile_path = shapefile_path,
    data = us_states_data %>% sf::st_drop_geometry(), # Drop geometry for compatibility
    loc_shape = "GEOID",
    loc_data = "GEOID",
    weight_function = function(d) exp(-d / 0.2)
  )

  # Apply the Spdeplisa function
  lisa_result <- DHSr::Spdeplisa(
    data = us_states_data,
    variable_name = "mean_wealth",
    listw = us_states_listw
  )

  # View the result
  head(lisa_result)
}
```

stein_beta	<i>Calculate Stein's Beta for Each Cluster</i>
------------	--

Description

This function calculates Stein's Beta for each cluster within the dataset. It applies Stein's shrinkage estimator to the specified beta estimates within each cluster.

Usage

```
stein_beta(data, cluster_id, beta)
```

Arguments

data	A dataframe containing the data.
cluster_id	The name of the column representing the cluster IDs.
beta	The name of the column representing the beta estimates.

Value

A data frame containing the input data with additional columns:

stein_beta	The Stein-shrinkage adjusted beta values.
lambda_d	Shrinkage factors for each cluster.
mu_beta_m	Mean beta values for each cluster.
sigma_hat_sq	Estimated variance of the beta values within clusters.
sum_of_squares	Sum of squared deviations of beta values from their mean.

Examples

```
# Create dummy data
library(dplyr)
set.seed(123)
dummy_data <- data.frame(
  years_education = rnorm(100, 12, 3),    # Represents years of education
  gender_female = rbinom(100, 1, 0.5),    # 1 = Female, 0 = Male
  household_wealth = sample(1:5, 100, replace = TRUE), # Wealth index from 1 to 5
  district_code = sample(1:10, 100, replace = TRUE) # Represents district codes
) %>% arrange(district_code)

# Define a regression formula
formula <- years_education ~ gender_female + household_wealth + household_wealth:gender_female

# Run the regression for all districts
results1 <- DHSr::Replm2(dummy_data, formula, "district_code", "normal")

# Assign random clusters for demonstration
```

```
clusters <- data.frame(
  district_code = unique(dummy_data$district_code),
  cluster_id = sample(1:3, length(unique(dummy_data$district_code)), replace = TRUE)
)

# Merge clusters with regression results
cluster_beta <- merge(clusters, results1, by.x = "district_code", by.y = "location")

# Apply Stein Beta shrinkage
results_with_stein_beta <- DHSr::stein_beta(
  data = cluster_beta,
  cluster_id = "cluster_id",           # Column for cluster IDs
  beta = "estimate_gender_female"     # Column for beta estimates
)

# View results
print(head(results_with_stein_beta))
```


Index

`cluster_map`, 2

`listw`, 5

`Replmre2`, 6

`Replm2`, 8

`Replmre2`, 9

`single_glmre2`, 10

`single_lm2`, 11

`single_lmre2`, 12

`Spdeplisa`, 13

`stein_beta`, 15